SUBJECT INDEX

Acoustic emissions, pp. 806, 988
Adaptive structures, pp. 806, 1226
Aligned fiber bundles, p. 1027
Analysis methods, pp. 124, 701
Anisotropy, p. 1149
Approximate elastic method, p. 1149
Axial crushing, p. 30
Beam stiffness, p. 701
Beams, p. 701
  box, p. 758
  curved, p. 2
  fiber reinforced plastic (FRP), pp. 283, 1052
  pultruded, pp. 283, 1052
Bending, pp. 2, 16, 701, 740
Biaxial loading, p. 183
Biaxial stress ratio, p. 183
Block copolymer blends, p. 74
Bond, p. 208
Bonding, p. 174
Brittle-ductile transition, p. 452
Buckling loads, pp. 283, 1262
Buckling stresses, p. 283
Carbon, p. 174
Carbon fiber/PEEK, p. 30
Carbon/PEEK material, p. 30
Carbonization, p. 988
CCA model, p. 619
Ceramic coatings, p. 440
Closed stiffeners, p. 1174
Coating interphase, p. 619
Cohesive stress, p. 344
Compaction, pp. 86, 837
Composite cylinder, p. 1088
Composite materials, pp. 30, 479, 663, 673, 894, 1217
Composite shells, pp. 322, 575, 793
Composite structures, p. 692
Composites, pp. 86, 124, 174, 208, 322, 378, 497, 563, 602, 740, 958, 1070, 1088, 1194
  braided, p. 378
  carbon-carbon, pp. 988, 1011
  carbon-epoxy, p. 1217
  carbon-phenolic, p. 1011
  carbon reinforced, p. 267
  fiber reinforced, p. 1027
  functional, p. 988
  hybrid, pp. 48, 828, 988
  metal-matrix, p. 1131
  overwrapped, p. 1088
  particulate, p. 196
  sandwich, p. 988
  thermoplastic, pp. 30, 360, 864, 1117
  thermoplastic elastomer, p. 16
  unidirectional, p. 1217
  unidirectional fiber, p. 467
Compression testing, pp. 420, 1217
Compressive strength, pp. 378, 420, 1217
Concrete, pp. 208, 1194
Connection failure, p. 1052
Connection tests, p. 1052
Constitutive model, p. 1249
Constitutive relation, p. 1149
Constrained cracking, p. 1149
Contact force, pp. 322, 575
Continuum damage mechanics, p. 183
Coupling agents, p. 864
Coupling stiffness, p. 1149
Crack density, p. 1149
Crack front, p. 944
Crack growth, pp. 344, 944
Crack propagation, p. 196
Crashworthiness, p. 30
Crimping, p. 467
Critical SBS particle size, p. 452
Crushing performance, p. 30
Crystallinity, p. 16
C-scan, p. 740
Curing, pp. 922
Damage, pp. 124, 196, 344, 740, 806, 1106, 1149
Damping, p. 497
DCB, p. 141
Debonding, p. 1161
Deformation, pp. 86, 552
Degradation, pp. 124, 663, 1011, 1149, 1161, 1262
Degree of cure, pp. 295, 718
Delamination, pp. 2, 141, 174, 230, 894,

944, 1161
Densification, p. 988
Deployable structure, p. 1226
Design, pp. 467, 673, 758
Die wall, p. 718
Differential scanning calorimeter (DSC), pp. 16, 295
Dimensional stability, p. 124
Discrete layer theory, p. 958
Distributed sensors, p. 1237
Dynamic mechanical analysis, p. 497
Dynamic response, p. 1088
Dynamic strain, p. 1088
Dynamic stress analysis, p. 958
Eddy current testing, p. 267
Edge delamination, p. 944
Elastic properties, p. 602
Elastomer, p. 16
Electromagnetic actuator, p. 779
Electronic microscopy, p. 740
End-fittings, p. 467
End-notched flexure (ENF), p. 141
Energy, pp. 30, 174, 208
Environmental effects, pp. 378, 440, 673
Epoxy resin, pp. 295, 806
Evanescent wave, p. 922
Extension-bending couplings, p. 1262
Fabric architecture, p. 988
Failure, pp. 283, 344, 563, 740, 758, 1070
Fatigue, pp. 124, 183, 249, 378, 673, 894
Fiber
  glass, pp. 16, 1161
  sisal, p. 48
Fiber bundle, pp. 86, 837
Fiber coating, p. 619
Fiber reinforced materials, p. 602
Fiber waviness, p. 420
Fiberglass, p. 692
Fiberglass reinforced plastic, p. 467
Filament winding, p. 1088
Finite element analysis, pp. 322, 360, 420, 575, 944, 1174, 1217, 1262
Flexible structure, p. 779
Flexural strength, p. 74
Flexure property, p. 1117
Fluorescence, p. 922
Force method, p. 1226
Forced vibration analysis, p. 958
Fracture, pp. 141, 174, 196
  interfacial, p. 208
  interlaminar, p. 1117
Fracture mechanics, p. 196
Frequency multiplexing, p. 497
Fretting, p. 440
Frontal solver, p. 944
FRP connections, p. 1052
FRP failure modes, p. 1052
Fundamental natural frequency, p. 877
Fuzzy set theory, p. 779
General in-plane loading, p. 1149
Generalized inverse, p. 1226
Glass, pp. 48, 497
Graphite/epoxy, pp. 378, 740
Graphite/epoxy sandwich panels, p. 1106
Graphite/fiberglass, p. 295
GRFP, p. 183
Heat transfer, pp. 295, 718
Hertzian contact, pp. 322, 575
High density polyethylene, p. 74
High ductility and impact strength, p. 74
Hybrid effect, pp. 48, 497
Hygrothermal effect, p. 619
Impact, pp. 267, 322, 575, 1106, 1117
Intelligent control, p. 779
Interface, pp. 864, 1194
Interface shear stresses, p. 1149
Interphase, p. 828
Interlaminar shear, p. 2
Interlaminar stress, pp. 230, 894
Interlaminar tension, p. 2
Iosipescu test, p. 701
Kinematically indeterminate structure, p. 1226
Kinetic model, p. 479
Laminate, pp. 360, 740
  composite, pp. 230, 249, 322, 575, 818, 944, 1149
  graphite/epoxy, p. 944
  quasi-isotropic, p. 1262
  notched composite, p. 894
  notched woven fabric composite, p. 344
  stitched, p. 972
  symmetric balanced, pp. 230, 1149
Laminated faces, p. 533
Laser cladding, p. 440
Lead zirconate titanate, p. 806
Linear elastic fracture mechanics, p. 230
Liquid molding, p. 922
Loading path, p. 183

(continued)

Subject Index (continued)
Loss factor, p. 497
Low energy impacts, p. 267
Low frequency vibration, p. 779
Low velocity impact, pp. 322, 575
Matrix cracking, pp. 124, 230, 1149
Mechanical properties, pp. 48, 74, 378, 452, 652, 692
Microbuckling, p. 420
Microcracking, p. 378
Micromechanics, pp. 619, 701, 828
Microstress analysis, p. 619
Mixed mode testing, p. 141
Mixed variational theorem, p. 533
Modulus decay ratio, p. 183
Moisture gradient, p. 793
Moment-rotation data, p. 1052
Morphology, pp. 74, 452
Multi-delamination-interface design, p. 230
Multiphase system, p. 74
Multi-step chemistry, p. 295
Nondestructive evaluation (NDE), p. 988
Nondestructive testing, pp. 267, 663
Nonisotropic reinforcement, p. 552
Nonlinear control, p. 779
Nonlinear elastic properties, p. 420
Nonwoven carbon fabric, p. 988
Normal stress, p. 322
Numerical model, p. 295
Operating conditions, p. 673
Operational envelope, p. 718
Optimization, pp. 758, 877
Orientation, pp. 141, 652
Orthotropic core, p. 533
Overstress, p. 360
Particulates, p. 1131
PEEK (polyetheretherketone), pp. 30, 174, 652
Permeability, p. 552
Piezoelectric element, p. 663
Piezoelectric paints, p. 806
Plasma spraying, p. 440
Plate bending, p. 1174
Plates, p. 1194
  laminated, p. 958
  laminated hat-stiffened, p. 1174
  symmetric sandwich, p. 533
  symmetrically laminated, p. 877
POD (probability of detection) analysis, p. 267
Polyamides, p. 652
Polyester-polyether, p. 16
Polyethylene terephthalate, p. 652
Polymers, p. 440
Postbuckling behavior, p. 1262
PP/HDPE/SBS ternary blends, pp. 74, 452
Precrack, p. 141
Preform, p. 837
Prestress, p. 1226
Process control, p. 922
Processing parameters, p. 452
Processing properties, p. 74
Progressive crushing, p. 30
Pull speed, p. 718
Pultruded connections, p. 1052
Pultruded frames, p. 1052
Pultruded structures, p. 1052
Pultrusion, pp. 295, 497, 692, 701, 718, 758
Quasi-3D finite element, p. 944
Rate dependence, p. 360
Recycling, p. 864
Rehabilitation, p. 208
Residual (chemical) shrinkage, p. 793
Residual strength, pp. 249, 344
Residual stresses, pp. 793
Robust controllers, p. 1237
ROC (receiver operating characteristics) analysis, 267
RTM, pp. 86, 378, 552, 837
Rule of additivity, p. 48
Sandwich materials, p. 1161
SEM, p. 16
Shape memory alloys, p. 1249
Shear, pp. 2, 86, 420, 701, 837, 1070
Shear deformation, pp. 322, 575
Sheared fabric, p. 552
Sisal, p. 48
SLB (single leg bending) test, p. 141
Smart structures, p. 1237
Solid state forming, p. 652
Space structures, p. 124
Space truss, p. 1226
Stacking sequence, pp. 230, 322
Statically indeterminate structure, p. 1226
Statistical model, p. 249
Stiffness partition, p. 1149
Stitching, p. 378
Storage modulus, p. 497
Strain-energy release rate, p. 944

Strain rate effects, pp. 420, 1088
Strength, pp. 174, 208
Stress, pp. 344, 467, 818, 972
Stress-based model, p. 958
Structural materials, p. 806
Structural performance, p. 692
Structural shapes, p. 701
Styrene-butadiene-styrene, p. 74
Superposition principle, p. 1149
Symmetric deformation, p. 533
Temperature, pp. 30, 378
Tensile strength, p. 74
Tension stabilized truss, p. 1226
Textiles, p. 378
Thermal cycling, p. 124
Thermal properties, pp. 16, 479
Thermal resistance, p. 74
Thermoplastics, p. 174
Thermostructural response, p. 1011
Time-temperature superposition, p. 497
Torsion test, p. 701
Torsional rigidity, p. 1174
Total discount method, p. 740
Toughness, pp. 141, 174
Tow, p. 86
Transverse effects, p. 533
Transverse stress, pp. 322, 575, 958
Travelling wave, p. 1088
Tribology characterization, p. 440
Tubes, pp. 30, 692, 1088
Ultrasonic NDI, p. 894
Ultrasonic testing, p. 988
Unit load scheme, p. 944
Vibration control, p. 779
Vibration sensor, p. 806
Vibration testing, p. 988
Viscoelasticity, pp. 497, 828
Viscoplasticity, p. 360
Volume fraction effect, pp. 818, 1131
Weibull theory, p. 2
Y-S failure criterion, p. 563

AUTHOR INDEX

Adams, D. F., p. 1217
Afaghi-Khatibi, A., p. 344
Ajji, A., p. 652
Allison, R. W., p. 1052
Arafat, E. S., p. 718
Atkinson, J. W., p. 420
Ayrault, S., p. 440
Bailleul, J.-L., p. 479
Balakrishnan, S., p. 48
Bank, L. C., pp. 283, 1052
Barbero, E. J., p. 701
Barboni, R., p. 894
Barpanda, D., p. 497
Batch, G. L., p. 1027
Bowles, D. E., p. 124
Broster, G., p. 1161
Butalia, T. S., p. 958
Butler, R., p. 1237
Buzzi, A., p. 673
Cano, R. J., p. 378
Cantwell, W. J., p. 1161
Caprile, C., p. 673
Cardonaro, R., p. 894
Castaño, V. M., p. 602
Chabert, B., p. 440
Chachad, Y. R., p. 718
Chan, W. S., p. 944
Chang, C.-J., p. 958
Chen, D. J., p. 944
Chen, V. L., p. 1070
Chen, Y.-T., p. 1027
Chevallier, P., p. 440
Chiu, D. S., pp. 74, 452
Cole, K. C., p. 174
Davidson, B. D., p. 141
Davies, P., p. 1161
de Tourreil, C., p. 467
Delaunay, D., p. 479
Diao, X., p. 249
Dogopolsky, A. A., p. 602
Dufour, J., p. 652
Dumoulin, M. M., p. 652
Dunkers, J. P., p. 922
Echaabi, J., p. 740
Egusa, S., p. 806
Engineer, M., pp. 208, 1194
Evans, D. J., p. 1052
Feng, A. K., p. 563
Flynn, K. M., p. 922

(continued)

Author Index (continued)
Fujii, T. J., p. 183
Furrow, K. W., p. 378
Furuya, H., p. 1226
Gates, T. S., p. 360
Gauvin, R., p. 552
Gentry, T. R., p. 283
Gros, X. E., p. 267
Hamada, H., p. 30
Hammami, A., p. 552
Hangai, Y., p. 1226
Harras, B., p. 174
He, J.-F., p. 533
Henriksen, C., p. 864
Ho, M.-H., p. 877
Hoiness, B., p. 758
Hopkins, D. A., p. 1088
Hou, M., p. 1117
Hu, H.-T., p. 877
Hudson, R. C., p. 141
Hurlbut, B. J., p. 1249
Hyer, M. W., p. 972
Ishii, A., p. 779
Iwasawa, N., p. 806
Jain, L. K., p. 793
Jarny, Y., p. 479
Jayet, Y., p. 663
Jeelani, S., p. 988
Jones, M. I., p. 2
Kalaprasad, G., p. 48
Kanaun, S. K., p. 602
Karbhari, V. M., pp. 86, 208, 837, 1194
Kawaguchi, K., p. 1226
Kawakami, H., p. 183
Kim, H.-J., p. 1262
Lalonde, S., p. 467
Lanteigne, J., p. 467
Lee, H. H., p. 972
Legros, N., p. 652
Liu, C. T., p. 196
Loos, A. C., p. 378
Lund, H. H., p. 864
Lyons, D. W., pp. 619, 818
Lyons, J. S., p. 1131
Macosko, C. W., p. 1027
Mahfuz, H., p. 988
Mai, Y.-W., pp. 249, 793, 1117
Maiti, D. K., pp. 322, 575
Mantell, S. C., p. 758
Mantena, P. R., p. 497
Matsuo, T., p. 16
Matunaga, S., p. 779
McManus, H. L., p. 124
Moore, L., p. 1052
Morita, Y., p. 183
Murthy, K. G., p. 619
Nadipelli, M., p. 283
Neelakantan, N. R., p. 48
Nelsen, E. B., p. 1106
Ochoa, O. O., p. 828
Ohkami, Y., p. 779
O'Toole, B. J., p. 692
Ouellet, M., p. 740
Parnas, R. S., p. 922
Pavithran, C., p. 48
Pellegrino, S., p. 1226
Perrissin-Fabert, I., p. 663
Pham, X. T., p. 740
Pieracci, A., p. 141
Polaha, J. J., p. 141
Qingzhi, H., p. 1149
Ramakrishna, S., p. 30
Rao, V. S., p. 1237
Ravi-Chandar, K., p. 196
Ray, C., p. 1174
Regelbrugge, M. E., p. 1249
Ross, G. R., p. 828
Roux, J. A., p. 295, 718
Saint-Pierre, N., p. 663
Sala, G., p. 673
Sato, H., p. 30
Satsangi, S. K., p. 1174
Scarponi, C., p. 894
Shonaike, G. O., p. 16
Simácek, P., pp. 86, 837
Sinha, P. K., pp. 322, 575
Siu, G. G., p. 74, 452
Sonti, S. S., p. 701
Soulier, J. P., p. 440
Sun, C. T., p. 360
Tatibouet, J., p. 663
Thomas, S., p. 48
Tompkins, S. S., p. 124
Tong, Q., p. 692
Tréheux, D., p. 440
Trochu, F., pp. 552, 740
Tzeng, J. T., p. 1088
Upadhyay, P. C., pp. 619, 818
Vaidya, U. K., p. 988
Valliappan, M., p. 295
van Lochem, J. H., p. 864
Vannes, A. B., p. 440

Vaughan, J. G., pp. 295, 718
Vázquez-Polo, G., p. 602
Vu-Khanh, T., p. 174
Wang, B. P., p. 944
Wang, C., p. 360
Wang, C. J., p. 1011
Wirth, S., p. 552
Wisnom, M. R., pp. 2, 420
Woerdeman, D. L., p. 922
Wolfe, W. E., p. 958
Xiao, K., p. 1131
Xie, M., p. 1217
Xingguo, W., p. 1149
Xu, L.-Y., p. 230
Ye, L., pp. 249, 344, 1117
Yeh, H.-Y., pp. 563, 1070, 1106
Yin, J., p. 1052
Yu, H., p. 1149
Yu, Y., p. 779
Zhang, Z., pp. 74, 452
Zhao, W., p. 1237
Zhengneng, L., p. 1149